

---

May 1, 2017

**\*\* LABORATORY ANALYSIS REPORT \*\***

---

Radon test result report for:

**CARPENTER  
CARPENTER SHOP**

---

<b>Kit #</b>	<b>Room Id</b>	<b>Started</b>	<b>Ended</b>	<b>pCi/L</b>	<b>Analyzed</b>
7886379	1	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	3.1 ± 0.4	2017-04-29
7886380	2	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	1.3 ± 0.3	2017-04-29
7886381	3	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	1.5 ± 0.3	2017-04-29
7886382	CARP 2 DUP	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	1.4 ± 0.3	2017-04-29

---

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

Radon test result report for:**CMS  
CMS**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
7886346	ALLISON	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	1.2 ± 0.3	2017-04-29
7886328	AMY	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	0.7 ± 0.3	2017-04-29
7886334	AMY DUP	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	1.0 ± 0.3	2017-04-29
7886335	ARCHIEVE DUP	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	1.4 ± 0.3	2017-04-29
7886331	ARCHIVE	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	1.3 ± 0.3	2017-04-29
7886347	BONNIE	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	1.6 ± 0.3	2017-04-29
7886337	BOOK RM	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	1.5 ± 0.3	2017-04-29
7886339	CHRIS	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	1.0 ± 0.3	2017-04-29
7886357	CINDY	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	1.0 ± 0.3	2017-04-29
7886336	CMS BLANK	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	< 0.3	2017-04-29
7886342	CMS BLANK	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	0.6 ± 0.3	2017-04-29
7886338	CONF	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	1.4 ± 0.3	2017-04-29
7886352	COPY N	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	1.1 ± 0.3	2017-04-29
7886353	COPY OFF	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	0.8 ± 0.3	2017-04-29
7886351	COPY S	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	0.6 ± 0.3	2017-04-29
7886330	DAVE	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	1.5 ± 0.3	2017-04-29
7886358	FRED	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	1.1 ± 0.3	2017-04-29
7886348	GENE	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	1.5 ± 0.3	2017-04-29
7886349	KIM	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	1.5 ± 0.3	2017-04-29
7886343	LOUNGE	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	1.2 ± 0.3	2017-04-29
7886345	MANAGER RECEPT	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	0.8 ± 0.3	2017-04-29
7886329	NATASHA	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	1.1 ± 0.3	2017-04-29
7886359	PAT	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	1.3 ± 0.3	2017-04-29
7886340	PAULA	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	1.0 ± 0.3	2017-04-29
7886344	RECEPT	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	0.9 ± 0.3	2017-04-29
7886350	RITA	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	1.2 ± 0.3	2017-04-29
7886341	SM CONF	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	0.8 ± 0.3	2017-04-29
7886332	SUE	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	1.4 ± 0.3	2017-04-29
7886291	SUSAN	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	1.2 ± 0.3	2017-04-29
7886333	WH COPY	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	< 0.3	2017-04-29
7886356	WH COPY DUP	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	0.5 ± 0.3	2017-04-29
7886354	WH EAST	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	0.9 ± 0.3	2017-04-29
7886355	WH WEST	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	0.7 ± 0.3	2017-04-29

---

May 1, 2017

**\*\* LABORATORY ANALYSIS REPORT \*\***

---

Radon test result report for:

**HVAC**  
**HVAC**

---

<b>Kit #</b>	<b>Room Id</b>	<b>Started</b>	<b>Ended</b>	<b>pCi/L</b>	<b>Analyzed</b>
7886375	1	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	1.2 ± 0.3	2017-04-29
7886376	2	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	1.6 ± 0.3	2017-04-29
7886377	3	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	1.0 ± 0.3	2017-04-29
7886378	3 DUP	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	1.6 ± 0.3	2017-04-29

---

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

Radon test result report for:**M&O****M&O**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
7886280	ANNETTE	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	0.6 ± 0.3	2017-04-29
7886272	ARCHIEVE	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	0.6 ± 0.3	2017-04-29
7886257	BLANK	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	< 0.3	2017-04-29
7886374	BLANK	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	< 0.3	2017-04-29
7886276	BO	2017-04-24 @ 12:00 pm	2017-04-26 @ 2:00 pm	< 0.3	2017-04-29
7886267	BREAK E	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	< 0.3	2017-04-29
7886270	BREAK W	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	< 0.3	2017-04-29
7886285	BREAK W DUP	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	0.6 ± 0.3	2017-04-29
7886254	CARP E	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	1.1 ± 0.3	2017-04-29
7886255	CARP W	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	1.2 ± 0.3	2017-04-29
7886283	CARP W DUP	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	1.3 ± 0.3	2017-04-29
7886261	CONF	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	< 0.3	2017-04-29
7886281	CRAIG	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	< 0.3	2017-04-29
7886286	CUSTODIAL	2017-04-24 @ 1:00 pm	2017-04-26 @ 1:00 pm	< 0.3	2017-04-29
7886259	EX OP E	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	0.8 ± 0.3	2017-04-29
7886260	EX OP OFF	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	0.6 ± 0.3	2017-04-29
7886253	EX OP W	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	< 0.3	2017-04-29
7886282	FRONT OFF	2017-04-24 @ 1:00 pm	2017-04-26 @ 1:00 pm	1.0 ± 0.3	2017-04-29
7886256	GLASS	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	1.1 ± 0.3	2017-04-29
7886284	JULIE	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	< 0.3	2017-04-29
7886268	KITCHEN	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	< 0.3	2017-04-29
7886266	LOVK	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	0.7 ± 0.3	2017-04-29
7886278	LUIS	2017-04-24 @ 12:00 pm	2017-04-26 @ 2:00 pm	0.5 ± 0.3	2017-04-29
7886269	MAIL	2017-04-24 @ 1:00 pm	2017-04-26 @ 1:00 pm	< 0.3	2017-04-29
7886263	MARK	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	0.7 ± 0.3	2017-04-29
7886264	MARK CONF	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	0.6 ± 0.3	2017-04-29
7886277	NATE	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	0.8 ± 0.3	2017-04-29
7886273	PLUMBERS	2017-04-24 @ 12:00 pm	2017-04-26 @ 2:00 pm	< 0.3	2017-04-29
7886262	REGINA	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	0.7 ± 0.3	2017-04-29
7886287	ROPKIN	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	< 0.3	2017-04-29
7886274	SCOTT	2017-04-24 @ 12:00 pm	2017-04-26 @ 2:00 pm	< 0.3	2017-04-29
7886279	SHERRI	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	0.7 ± 0.3	2017-04-29
7886265	SIGN	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	< 0.3	2017-04-29
7886271	SUSAN	2017-04-24 @ 12:00 pm	2017-04-26 @ 2:00 pm	< 0.3	2017-04-29
7886275	VANCLEAVE	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	< 0.3	2017-04-29
7886258	VANCLEAVE DUP	2017-04-24 @ 1:00 pm	2017-04-26 @ 1:00 pm	< 0.3	2017-04-29

---

May 1, 2017

**\*\* LABORATORY ANALYSIS REPORT \*\***

---

Radon test result report for:

**MOBILE 39**

**CUSTODIAL STOR**

---

<b>Kit #</b>	<b>Room Id</b>	<b>Started</b>	<b>Ended</b>	<b>pCi/L</b>	<b>Analyzed</b>
7886369	1	2017-04-24 @ 2:00 pm	2017-04-26 @ 2:00 pm	< 0.3	2017-04-29
7886370	2	2017-04-24 @ 2:00 pm	2017-04-26 @ 2:00 pm	< 0.3	2017-04-29
7886371	3	2017-04-24 @ 2:00 pm	2017-04-26 @ 2:00 pm	< 0.3	2017-04-29
7886373	4	2017-04-24 @ 2:00 pm	2017-04-26 @ 2:00 pm	< 0.3	2017-04-29

---

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

---

May 1, 2017

**\*\* LABORATORY ANALYSIS REPORT \*\***

---

Radon test result report for:

**MOBILE 41**

**41**

---

<b>Kit #</b>	<b>Room Id</b>	<b>Started</b>	<b>Ended</b>	<b>pCi/L</b>	<b>Analyzed</b>
7886239	41A	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	0.6 ± 0.3	2017-04-29
7886240	41B	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	0.9 ± 0.3	2017-04-29
7886243	ET OFF	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	< 0.3	2017-04-29
7886244	ET OFF	2017-04-24 @ 12:00 pm	2017-04-26 @ 1:00 pm	< 0.3	2017-04-29

---

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

May 1, 2017

**\*\* LABORATORY ANALYSIS REPORT \*\***

Radon test result report for:

**MOBILE 42**

**42**

<b>Kit #</b>	<b>Room Id</b>	<b>Started</b>	<b>Ended</b>	<b>pCi/L</b>	<b>Analyzed</b>
7886252	1	2017-04-24 @ 2:00 pm	2017-04-26 @ 2:00 pm	0.6 ± 0.3	2017-04-29
7886251	2	2017-04-24 @ 2:00 pm	2017-04-26 @ 2:00 pm	< 0.3	2017-04-29
7886250	3	2017-04-24 @ 2:00 pm	2017-04-26 @ 2:00 pm	< 0.3	2017-04-29
7886249	3 DUP	2017-04-24 @ 2:00 pm	2017-04-26 @ 2:00 pm	< 0.3	2017-04-29
7886248	4	2017-04-24 @ 2:00 pm	2017-04-26 @ 2:00 pm	< 0.3	2017-04-29
7886247	5	2017-04-24 @ 2:00 pm	2017-04-26 @ 2:00 pm	0.6 ± 0.3	2017-04-29
7886246	6	2017-04-24 @ 2:00 pm	2017-04-26 @ 2:00 pm	0.7 ± 0.3	2017-04-29
7886245	BLANK	2017-04-24 @ 2:00 pm	2017-04-26 @ 2:00 pm	< 0.3	2017-04-29

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

May 1, 2017

**\*\* LABORATORY ANALYSIS REPORT \*\***

Radon test result report for:

**WAREHOUSE**

**WAREHOUSE**

<b>Kit #</b>	<b>Room Id</b>	<b>Started</b>	<b>Ended</b>	<b>pCi/L</b>	<b>Analyzed</b>
7886368	BLANK	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	< 0.3	2017-04-29
7886366	NE	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	0.9 ± 0.3	2017-04-29
7886365	NW	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	1.1 ± 0.3	2017-04-29
7886367	OFF DUP	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	1.0 ± 0.3	2017-04-29
7886361	OFFICE	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	1.0 ± 0.3	2017-04-29
7886360	RECEIVING	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	0.8 ± 0.3	2017-04-29
7886363	SE	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	1.2 ± 0.3	2017-04-29
7886364	SW	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	0.9 ± 0.3	2017-04-29
7886362	TOOL RM	2017-04-24 @ 1:00 pm	2017-04-26 @ 2:00 pm	1.2 ± 0.3	2017-04-29

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498



May 1, 2017

**\*\* LABORATORY ANALYSIS REPORT \*\***

Radon test result report for:

**WELD SHOP  
WELD SHOP**

<b>Kit #</b>	<b>Room Id</b>	<b>Started</b>	<b>Ended</b>	<b>pCi/L</b>	<b>Analyzed</b>
7886300	BLANK	2017-04-24 @ 2:00 pm	2017-04-26 @ 2:00 pm	< 0.3	2017-04-29
7886295	DOORS	2017-04-24 @ 2:00 pm	2017-04-26 @ 2:00 pm	1.7 ± 0.3	2017-04-29
7886297	LADDER	2017-04-24 @ 2:00 pm	2017-04-26 @ 2:00 pm	1.2 ± 0.3	2017-04-29
7886296	PAINT	2017-04-24 @ 2:00 pm	2017-04-26 @ 2:00 pm	0.8 ± 0.3	2017-04-29
7886293	WELD E	2017-04-24 @ 2:00 pm	2017-04-26 @ 2:00 pm	1.3 ± 0.3	2017-04-29
7886294	WELD N	2017-04-24 @ 2:00 pm	2017-04-26 @ 2:00 pm	0.9 ± 0.3	2017-04-29
7886298	WELD N DUP	2017-04-24 @ 2:00 pm	2017-04-26 @ 2:00 pm	0.8 ± 0.3	2017-04-29
7886292	WELD OFF	2017-04-24 @ 2:00 pm	2017-04-26 @ 2:00 pm	0.7 ± 0.3	2017-04-29
7886299	WELD W	2017-04-24 @ 2:00 pm	2017-04-26 @ 2:00 pm	0.8 ± 0.3	2017-04-29

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498