

COMMERCIAL RADON REPORT

Date: 11/26/12

Page: 1 of 60

School District: Aurora Public Schools
Address: 1369 Airport Boulevard
Aurora, Colorado 80011
Attention: Environmental Compliance
Call (303)367-3000 ext. 28681

Canisters placed at **Lansing Elementary**, 551 Lansing St Aurora, CO 80010

Canister #	Location	Radon Level(pCi/L)
65426	C26	1.31 ± 0.52
65433	C27 - Music	1.49 ± 0.53
65423	C15 - Art	1.32 ± 0.52
65393	C16	0.18 ± 0.40
65422	C17	1.34 ± 0.52
65388	C18	-0.84 ± 0.59
65416	C19	0.03 ± 0.37
65391	B2 - Staff Workroom	- 0.03 ± 0.38
65400	B1 - Lounge	0.39 ± 0.47
65435	A5 - Conference Rm	0.79 ± 0.46
65444	Media 1	- 0.22 ± 0.39
65384	Media 2	1.18 ± 0.52
65397	E2 - Resource Rm	0.04 ± 0.57
65406	C14	2.44 ± 0.41
65415	C13	1.87 ± 0.46
65386	C12	0.55 ± 0.45
65409	C11	1.06 ± 0.46
65425	C10	1.32 ± 0.46
65417	C9	1.51 ± 0.46
65424	C9 - Dup	0.86 ± 0.59
65399	C8	1.32 ± 0.47

65443	A1 - Secretary	1.49 ± 0.59
65385	A4 - Clinic	0.60 ± 0.44
65420	A2 - Principal	0.73 ± 0.60
65429	A3 - AP Office	3.19 ± 0.52
65414	E1 - Staff Workroom	2.25 ± 0.61
65438	H1 - Café 1	0.99 ± 0.60
65447	H1 - Café 2	2.04 ± 0.61
65421	Kitchen	0.89 ± 0.60
65432	B10 - Kitchen Office	0.63 ± 0.46
65436	Gym 1	1.67 ± 0.63
65403	Gym 2	1.41 ± 0.47
65445	B9 Gym Office	1.33 ± 0.63
65427	Stage	2.57 ± 0.62
65383	B8 - Office	1.42 ± 0.48
65390	B7 - Office	-0.2 ± 0.59
65396	C20 - Computer Lab	1.96 ± 0.60
65405	C21	0.60 ± 0.40
65431	C22	1.35 ± 0.46
65402	C23	1.11 ± 0.52
65440	C24	1.13 ± 0.60
65446	C24 - Dup	0.08 ± 0.45
65411	C25	2.26 ± 0.47
65408	C7	0.83 ± 0.40
65392	C6	0.42 ± 0.59
65401	C5	1.00 ± 0.60
65410	B6 - Audio	0.45 ± 0.45
65439	B5 - Office	0.14 ± 0.59
65395	B4 - Office	0.28 ± 0.58
65404	B3 - Office	3.21 ± 0.57
65413	C1	1.23 ± 0.59
65419	C2	2.77 ± 0.41
65428	C3	2.61 ± 0.47
65437	C4	1.58 ± 0.47

65412	C4 - Dup	0.05 ± 0.58
65434	Blank	0.59 ± 0.50
65430	Blank	-0.92 ± 0.55
65418	S6 - Cust. Office	1.07 ± 0.47

Since our laboratory does not place the canisters nor monitor the conditions and the time under which the canister is exposed, we are unable to guarantee the integrity of any part of the testing procedure except for that portion for which we are directly responsible; the handling and quality assurance procedures of the canisters up until the time they leave our lab and the accuracy (within statistically imposed limits) of the actual measuring process in our lab.

E- Mail Date: 11/26/12

By: Thomas Brown

RADON Measurements Lab, 1420 Austin Bluffs Parkway, UCCS Engineering Building
Room 215, Colorado Springs, CO 80918