

ALPHA FILM TEST RESULTS
Aurora Public Schools

September 25, 1991

Alpha Film Detector #	Begin Date	End Date	Result (pCi/l)	Error	School Location
17665	07-03-90	04-30-91	2.1 +/-	0.4	Rangeview
13928	04-17-90	03-28-91	0.4 +/-	0.3	South
14039	04-17-90	03-28-91	0.0 +/-	0.5	South
14058	04-17-90	03-28-91	0.8 +/-	0.4	South
14064	04-17-90	03-28-91	0.1 +/-	0.3	South
14066	04-17-90	03-28-91	0.3 +/-	0.3	South
14067	04-17-90	03-28-91	0.0 +/-	0.3	South
14074	04-17-90	03-28-91	0.0 +/-	0.3	South
14075	04-17-90	03-28-91	0.3 +/-	0.4	South
14076	04-17-90	03-28-91	0.2 +/-	0.3	South
14077	04-17-90	03-28-91	0.5 +/-	0.4	South
14083	04-17-90	03-28-91	1.1 +/-	0.4	South
14086	04-17-90	03-28-91	0.8 +/-	0.4	South
14087	04-17-90	03-28-91	0.0 +/-	0.3	South
14089	04-17-90	03-28-91	0.8 +/-	0.4	South
14094	04-17-90	03-28-91	0.4 +/-	0.3	South
14095	04-17-90	03-28-91	1.2 +/-	0.4	South
14097	04-17-90	03-28-91	0.0 +/-	0.3	South
14099	04-17-90	03-28-91	0.7 +/-	0.4	South
14102	04-17-90	03-28-91	0.5 +/-	0.4	South

Results are reported with a 95% confidence level.
Information is available upon request from the manufacturer
regarding the limited warranty. Technicians Initials: C.B.

ALPHA FILM TEST RESULTS
Aurora Public Schools

September 25, 1991

Alpha Film Detector #	Begin Date	End Date	Result (pCi/l)	Error	School Location
14558	10-09-90	04-30-91	0.3 +/-	0.6	Rangeview
14703	04-24-90	05-01-91	0.0 +/-	0.3	Rangeview
14729	04-23-90	04-30-91	0.0 +/-	0.3	Rangeview
14842	04-23-90	04-30-91	0.0 +/-	0.3	Rangeview
14844	10-09-90	04-30-91	1.4 +/-	0.6	Rangeview
14845	04-23-90	04-30-91	0.8 +/-	0.3	Rangeview
14849	04-23-90	04-30-91	0.2 +/-	0.3	Rangeview
14868	04-23-90	04-30-91	1.6 +/-	0.4	Rangeview
14869	04-23-90	04-30-91	0.0 +/-	0.3	Rangeview
14889	04-23-90	04-30-91	0.7 +/-	0.3	Rangeview
14897	10-09-90	04-30-91	2.7 +/-	0.7	Rangeview
15197	04-23-90	04-30-91	1.1 +/-	0.3	Rangeview
15206	04-23-90	04-30-91	0.2 +/-	0.3	Rangeview
15207	04-23-90	04-30-91	0.0 +/-	0.4	Rangeview
15208	04-23-90	04-30-91	0.0 +/-	0.3	Rangeview
15211	04-23-90	04-30-91	1.3 +/-	0.5	Rangeview
15212	04-23-90	04-30-91	1.5 +/-	0.4	Rangeview
15220	04-23-90	04-30-91	0.0 +/-	0.4	Rangeview
15223	04-23-90	04-30-91	0.8 +/-	0.3	Rangeview
15224	04-23-90	04-30-91	0.2 +/-	0.5	Rangeview

Results are reported with a 95% confidence level.
Information is available upon request from the manufacturer
regarding the limited warranty. Technicians Initials: C.B.

ALPHA FILM TEST RESULTS
Aurora Public Schools

September 25, 1991

Alpha Film Detector #	Begin Date	End Date	Result (pCi/l)	Error	School Location
15225	04-23-90	05-01-91	0.0 +/-	0.5	Rangeview
15226	04-23-90	04-30-91	0.0 +/-	0.4	Rangeview
15227	04-23-90	04-30-91	1.0 +/-	0.3	Rangeview
15228	04-23-90	04-30-91	0.7 +/-	0.3	Rangeview
15229	04-23-90	04-30-91	1.3 +/-	0.4	Rangeview
15231	04-23-90	05-01-91	0.8 +/-	0.3	Rangeview
15233	04-23-90	04-30-91	1.8 +/-	0.4	Rangeview
15234	04-23-90	04-30-91	0.0 +/-	0.5	Rangeview
15235	04-23-90	05-01-91	0.0 +/-	0.5	Rangeview
15237	10-09-90	04-30-91	0.0 +/-	0.9	Rangeview
15238	04-23-90	05-01-91	0.3 +/-	0.3	Rangeview
15239	04-23-90	05-01-91	0.7 +/-	0.5	Rangeview
15240	04-23-90	04-30-91	0.4 +/-	0.5	Rangeview
15241	04-23-90	04-30-91	0.0 +/-	0.5	Rangeview
15242	04-23-90	05-01-91	0.2 +/-	0.3	Rangeview
15243	04-23-90	04-30-91	0.0 +/-	0.3	Rangeview
15244	04-23-90	04-30-91	0.0 +/-	0.3	Rangeview
15245	04-23-90	04-30-91	1.1 +/-	0.3	Rangeview
15249	04-23-90	04-30-91	0.8 +/-	0.5	Rangeview
15251	04-23-90	04-30-91	0.0 +/-	0.5	Rangeview

Results are reported with a 95% confidence level.
Information is available upon request from the manufacturer
regarding the limited warranty. Technicians Initials: C.B.

ALPHA FILM TEST RESULTS
Aurora Public Schools

September 25, 1991

Alpha Film Detector #	Begin Date	End Date	Result (pCi/l)	Error	School Location
15252	04-23-90	04-30-91	0.1 +/-	0.5	Rangeview
15253	04-23-90	04-30-91	0.9 +/-	0.3	Rangeview
15255	04-23-90	04-30-91	0.0 +/-	0.5	Rangeview
15256	04-23-90	04-30-91	0.0 +/-	0.4	Rangeview
15257	04-23-90	04-30-91	0.8 +/-	0.3	Rangeview
15259	04-23-90	04-30-91	1.2 +/-	0.4	Rangeview
15261	04-23-90	04-30-91	0.0 +/-	0.5	Rangeview
15262	04-23-90	04-30-91	0.1 +/-	0.3	Rangeview
15263	04-23-90	04-30-91	0.0 +/-	0.5	Rangeview
15264	04-23-90	04-30-91	0.0 +/-	0.5	Rangeview
15265	04-23-90	04-30-91	0.6 +/-	0.3	Rangeview
15266	04-23-90	05-01-91	1.0 +/-	0.3	Rangeview
15267	04-23-90	04-30-91	0.2 +/-	0.3	Rangeview
15268	04-23-90	04-30-91	0.0 +/-	0.5	Rangeview
15272	04-23-90	04-30-91	0.0 +/-	0.5	Rangeview
15273	04-23-90	05-01-91	0.7 +/-	0.5	Rangeview
15277	04-23-90	04-30-91	0.0 +/-	0.5	Rangeview
15278	04-23-90	04-30-91	0.0 +/-	0.5	Rangeview
15279	04-23-90	04-30-91	0.0 +/-	0.5	Rangeview
15280	04-23-90	05-01-91	0.0 +/-	0.4	Rangeview

Results are reported with a 95% confidence level.
Information is available upon request from the manufacturer
regarding the limited warranty. Technicians Initials: C.B.

ALPHA FILM TEST RESULTS
Aurora Public Schools

September 25, 1991

Alpha Film Detector #	Begin Date	End Date	Result (pCi/l)	Error	School Location
15281	04-23-90	05-01-91	0.9 +/-	0.5	Rangeview
15283	04-23-90	04-30-91	2.3 +/-	0.6	Rangeview
15284	04-23-90	04-30-91	0.0 +/-	0.5	Rangeview
15285	04-23-90	05-01-91	0.0 +/-	0.5	Rangeview
15286	04-23-90	04-30-91	0.0 +/-	0.5	Rangeview
15287	04-23-90	04-30-91	0.0 +/-	0.5	Rangeview
15288	04-23-90	05-01-91	0.0 +/-	0.5	Rangeview
15289	04-23-90	04-30-91	0.2 +/-	0.5	Rangeview
15291	04-23-90	05-01-91	0.0 +/-	0.5	Rangeview
15295	04-23-90	05-01-91	2.1 +/-	0.6	Rangeview
15299	04-23-90	05-01-91	0.0 +/-	0.5	Rangeview
15301	04-23-90	05-01-91	0.3 +/-	0.5	Rangeview
15303	04-23-90	04-30-91	0.0 +/-	0.5	Rangeview
15305	04-23-90	05-01-91	0.0 +/-	0.5	Rangeview
15306	04-23-90	05-01-91	0.0 +/-	0.5	Rangeview
15307	04-23-90	05-01-91	1.5 +/-	0.5	Rangeview
15309	04-23-90	05-01-91	1.0 +/-	0.3	Rangeview
15310	04-23-90	05-01-91	0.0 +/-	0.5	Rangeview
15313	04-23-90	05-01-91	0.0 +/-	0.5	Rangeview
15315	04-23-90	04-30-91	0.0 +/-	0.5	Rangeview

Results are reported with a 95% confidence level.
Information is available upon request from the manufacturer
regarding the limited warranty. Technicians Initials: C.B.

ALPHA FILM TEST RESULTS
Aurora Public Schools

September 25, 1991

Alpha Film Detector #	Begin Date	End Date	Result (pCi/l)	Error	School Location
15316	04-23-90	05-01-91	0.0 +/-	0.5	Rangeview
15317	04-23-90	04-30-91	0.7 +/-	0.5	Rangeview
15319	04-23-90	04-30-91	0.9 +/-	0.3	Rangeview
15320	04-23-90	05-01-91	0.5 +/-	0.3	Rangeview
15324	04-23-90	05-01-91	0.2 +/-	0.3	Rangeview
15325	04-23-90	05-01-91	0.6 +/-	0.3	Rangeview
15326	04-23-90	05-01-91	0.2 +/-	0.3	Rangeview
15327	04-23-90	05-01-91	0.0 +/-	0.3	Rangeview
15331	04-23-90	04-30-91	1.9 +/-	0.4	Rangeview
15426	04-23-90	04-30-91	0.2 +/-	0.3	Rangeview
15427	04-23-90	04-30-91	0.0 +/-	0.3	Rangeview
15430	10-09-90	04-30-91	0.0 +/-	0.5	Rangeview
16024	04-24-90	05-01-91	0.0 +/-	0.3	Rangeview
16025	04-24-90	04-30-91	0.0 +/-	0.3	Rangeview
16027	04-24-90	05-01-91	0.5 +/-	0.3	Rangeview
16217	10-09-90	05-01-91	1.5 +/-	0.6	Rangeview
16464	04-23-90	05-01-91	0.0 +/-	0.3	Rangeview
16730	04-23-90	04-30-91	0.0 +/-	0.3	Rangeview
17635	07-03-90	04-30-91	1.6 +/-	0.4	Rangeview
17637	07-03-90	04-30-91	0.8 +/-	0.4	Rangeview

Results are reported with a 95% confidence level.
Information is available upon request from the manufacturer
regarding the limited warranty. Technicians Initials: C.B.

ALPHA FILM TEST RESULTS
Aurora Public Schools

September 25, 1991

Alpha Film Detector #	Begin Date	End Date	Result (pCi/l)	Error	School Location
16704	05-01-90	05-06-91	0.2 +/-	0.3	Peoria Annex
16709	05-01-90	05-06-91	0.0 +/-	0.3	Peoria Annex
16721	05-01-90	05-06-91	0.0 +/-	0.3	Peoria Annex
16728	05-01-90	05-06-91	0.0 +/-	0.3	Peoria Annex
16832	05-01-90	05-06-91	0.0 +/-	0.3	Peoria Annex
17674	10-10-90	05-06-91	0.0 +/-	0.4	Peoria Annex
13611	04-23-90	04-30-91	0.0 +/-	0.4	Rangeview
13651	04-23-90	04-30-91	1.2 +/-	0.4	Rangeview
13656	04-23-90	04-30-91	0.2 +/-	0.3	Rangeview
13657	04-23-90	04-30-91	0.0 +/-	0.3	Rangeview
13658	04-23-90	04-30-91	0.9 +/-	0.3	Rangeview
13752	04-23-90	04-30-91	0.0 +/-	0.3	Rangeview
13961	04-23-90	04-30-91	0.5 +/-	0.3	Rangeview
13962	04-23-90	04-30-91	0.6 +/-	0.3	Rangeview
13965	04-23-90	04-30-91	0.0 +/-	0.3	Rangeview
13966	04-23-90	04-30-91	0.0 +/-	0.3	Rangeview
13967	04-23-90	05-01-91	2.3 +/-	0.4	Rangeview
14017	04-23-90	04-30-91	0.3 +/-	0.3	Rangeview
14023	04-23-90	04-30-91	0.8 +/-	0.3	Rangeview
14029	04-23-90	04-30-91	0.2 +/-	0.3	Rangeview

Results are reported with a 95% confidence level.
Information is available upon request from the manufacturer
regarding the limited warranty. Technicians Initials: C.B.

ALPHA FILM TEST RESULTS
Aurora Public Schools

July 2, 1991

Alpha Film Detector #	Begin Date	End Date	Result (pCi/l)	Error	School Location
16771	05-02-90	05-07-91	0.2 +/-	0.3	Facilities
16772	05-02-90	05-07-91	0.2 +/-	0.3	Facilities
16774	05-02-90	05-07-91	0.2 +/-	0.3	Facilities
16787	05-02-90	05-08-91	0.0 +/-	0.3	Facilities
16852	05-02-90	05-07-91	0.0 +/-	0.3	Facilities
16877	05-02-90	05-07-91	0.1 +/-	0.3	Facilities
16878	05-02-90	05-07-91	0.0 +/-	0.3	Facilities
16879	05-02-90	05-07-91	0.0 +/-	0.3	Facilities
16880	05-02-90	05-07-91	0.0 +/-	0.3	Facilities
16882	05-02-90	05-08-91	0.0 +/-	0.3	Facilities
16883	05-02-90	05-07-91	0.0 +/-	0.3	Facilities
16884	05-02-90	05-07-91	0.0 +/-	0.3	Facilities
16885	05-02-90	05-07-91	0.0 +/-	0.3	Facilities
16887	05-02-90	05-07-91	0.0 +/-	0.3	Facilities
16889	05-02-90	05-07-91	0.1 +/-	0.3	Facilities
16892	05-03-90	05-07-91	0.0 +/-	0.3	Facilities
16893	05-02-90	05-07-91	0.0 +/-	0.3	Facilities
16895	05-02-90	05-07-91	0.2 +/-	0.3	Facilities
16898	05-02-90	05-07-91	0.0 +/-	0.3	Facilities
14766	10-09-90	05-06-91	0.0 +/-	0.3	Rangeview

Results are reported with a 95% confidence level.
Information is available upon request from the manufacturer
regarding the limited warranty. Technicians Initials: C.B.