

COMMERCIAL RADON REPORT

Date: 11/20/12

Page: 1 of 112

School District: Aurora Public Schools
Address: 1369 Airport Boulevard
Aurora, Colorado 80011
Attention: Environmental Compliance
Call (303)367-3000 ext. 28681

Canisters placed at **Vista Peak Prep HS**, 24500 E. 6th Ave Aurora, CO 80018

Canister #	Location	Radon Level(pCi/L)
64741	1020 - Reception	1.89 ± 0.41
64926	1023 - Conf Rm	2.49 ± 0.42
64935	1025 - Workroom	2.96 ± 0.32
64938	1026 - Secretary	1.92 ± 0.41
64939	1027 - Principal	3.04 ± 0.56
64904	1028 - AD	2.25 ± 0.42
64908	1029 - Secretary	3.04 ± 0.55
64918	1024 - Office	6.28 ± 0.57
64913	Clinic Office	2.05 ± 0.54
64921	1022 - Clinic	1.82 ± 0.41
64736	Mail Rm	2.13 ± 0.25
64737	1601 - Science	1.74 ± 0.54
64831	1603 - Science	3.25 ± 0.54
64905	1605 - Science	0.82 ± 0.41
64932	1606 - Science	0.52 ± 0.40
64909	1604 - Science	0.90 ± 0.40
64907	1602 - Science	1.40 ± 0.41
64934	1506	0.95 ± 0.37
64928	1507	1.40 ± 0.32
64936	1508	1.57 ± 0.31
64842	1508 - Dup	1.17 ± 0.24

64910	1509	1.19 ± 0.38
64827	1510	1.09 ± 0.28
64835	1511	1.13 ± 0.38
64937	1512	1.36 ± 0.38
64940	1521 - Office	2.00 ± 0.38
64920	1515 - Conf Rm	2.83 ± 0.39
64895	1516 - Office	1.45 ± 0.38
64922	1517 - AP	1.67 ± 0.53
64942	1513 - Reception	1.45 ± 0.29
64809	1514 - Office	3.69 ± 0.30
64802	1501- Life Skills	1.12 ± 0.25
64811	Life Skills Office	1.17 ± 0.24
64803	1502	1.31 ± 0.29
64832	1503	1.46 ± 0.31
64824	1504	1.29 ± 0.25
64812	1505	1.01 ± 0.29
64806	1406 Life Skills	1.42 ± 0.29
64801	1406 Life Skills	1.91 ± 0.31
64810	Rm Outside 1406	1.15 ± 0.41
64738	1407	1.75 ± 0.29
64739	1407 - Dup	2.28 ± 0.54
64805	1408	1.71 ± 0.29
64800	1409	1.73 ± 0.29
64795	1108 - Girls Varsity LR	1.48 ± 0.29
64797	1110 - Coach	2.70 ± 0.42
64794	1109 - PE Office	4.56 ± 0.40
64816	1111 - Girls PE LR	1.51 ± 0.39
64826	Aux Gym 1	1.40 ± 0.37
64821	Aux Gym 2	2.26 ± 0.29
64839	Gym 1	0.66 ± 0.23
64833	Gym 2	1.57 ± 0.32
64834	1309 - Band	1.76 ± 0.31
64899	1308 - Office	1.55 ± 0.38

64796	1305 - Office	1.31 ± 0.28
64829	1302 - Music	1.87 ± 0.38
64901	1301 - Wrestling	1.59 ± 0.29
64912	Concession	2.05 ± 0.25
64837	1008 - Serving	1.87 ± 0.25
64898	1008 - Dup	2.26 ± 0.32
64902	Blank	-0.20 ± 0.22
64914	Blank	0.30 ± 0.29
64836	1606/1604 - Prep	1.05 ± 0.41
64844	1603/1605 - Prep	1.51 ± 0.41
64911	1015	3.65 ± 0.32
64923	Aud -1	2.79 ± 0.32
64840	Aud -2	2.46 ± 0.25
64917	Stage - 1	2.23 ± 0.25
64915	Stage - 2	2.48 ± 0.32
64843	1205 - Stage Craft	1.23 ± 0.24
64916	1206 - Drama	1.56 ± 0.24
64927	1204	2.06 ± 0.32
64925	Commons 1	2.71 ± 0.54
64793	Commons 2	0.96 ± 0.41
64930	Kitchen 1	2.50 ± 0.32
64931	Kitchen 2	2.37 ± 0.53
64944	Kitchen Office	4.25 ± 0.54
64919	1006 - Custodial Office	3.45 ± 0.32
64941	1104 - PE Office	3.48 ± 0.55
64943	1103 - Boys Locker Rm	1.54 ± 0.54
64929	1105 - Coach	2.39 ± 0.39
64933	1105 - Coach Dup	1.12 ± 0.41
64924	1105 - Coach Dup	2.43 ± 0.54
64817	1107 - Trainer	5.06 ± 0.56
64804	1410	1.21 ± 0.38
64819	1411	1.27 ± 0.24
64813	1412	1.34 ± 0.38

64814	1421 - Office	1.57 ± 0.39
64825	1415 - Conf	3.60 ± 0.30
64823	1416 - Office	1.52 ± 0.38
64838	1417 - AP	1.50 ± 0.28
64897	1413 - Reception	2.72 ± 0.29
64815	1414 - Office	5.21 ± 0.40
64807	1401	2.07 ± 0.32
64808	1402	1.94 ± 0.29
64740	1403	1.25 ± 0.41
64900	1404	1.87 ± 0.38
64906	1405	1.76 ± 0.38
64822	1011 - Reception	4.66 ± 0.56
64830	1012 - Attendance	3.24 ± 0.26
64799	1014	3.35 ± 0.32
64841	1016	3.11 ± 0.33
64896	1016 - Dup	2.64 ± 0.32
64903	1017	2.57 ± 0.32
64818	1018	2.83 ± 0.26
64798	1019	2.61 ± 0.26
64828	1601 - Prep	1.50 ± 0.42
64820	1602 - Prep	3.26 ± 0.55
65114	1418	3.26 ± 0.55
65103	1419	2.14 ± 0.54

Since our laboratory does not place the canisters nor monitor the conditions and the time under which the canister is exposed, we are unable to guarantee the integrity of any part of the testing procedure except for that portion for which we are directly responsible; the handling and quality assurance procedures of the canisters up until the time they leave our lab and the accuracy (within statistically imposed limits) of the actual measuring process in our lab.

E- Mail Date: 11/20/12

By: Thomas Brown

RADON Measurements Lab, 1420 Austin Bluffs Parkway, UCCS Engineering Building
Room 215, Colorado Springs, CO 80918